FORMAT OF CERTIFICATE TO BE ISSUED BY THE DISTRICT EDUCATION OFFICER IN RESPECT OF SCHOOLS ALREADY AFFILIATED WITH THE BOARD AND SEEKING EXTENSION/UPGRADATION OF AFFILIATION WITH THE CENTRAL BOARD OF SECONDARY EDUCATION

(In accordance with School Safety Policy, 2016 issued by the NDMA, Manual on Safety and Security of Children in Schools developed by NCPCR and the National Building Code)

PART-A

(This part is to be filled-up by the school and to be produced before the District Education Officer along with all supporting documents and certificates in original)

| 1 | Affiliation Number allotted by CBSE to the school: | 330588 |
|----|--|--|
| 2 | Name of the School as per affiliation letter of CBSE: | ANAND INTERNATIONAL SCHOOL |
| 3 | Address of the School: | Bypass Jakariyapur, Patna- 800030 |
| 4 | Standard/level/class up to which the school is running: | Std. I to X |
| 5 | Is the name and address of school in CBSE affiliation letter and State NOC/Recognition/U-DISE exactly the same | YES |
| 6 | U-DISE code allotted to the school: | 1028105415 |
| 7 | Name and address of the Trust/Society/Company(under section-8) running the School as on date | SHREE ANAND CHANDRA FOUNDATION, PATNA |
| 8 | Is the Trust/Society/Company duly registered with the competent registering authority and the registration is valid as on date? | YES |
| 9 | Purpose of present application: | Upgradation of Affiliation. (UPTO 10+2) |
| 10 | Location of school | (a) In the Municipal limit of city having population more than 15 lakhs. (b) In the Municipal limit of Capital city of state |
| | Level to the second of the sec | |
| | | |

Bisondre kumar

Principal
Anand International School
Bypass, Krishna Niketan Rd., Jakariyapur, Patna

Bisendra Rumar

(Signature of Principal)

Principal

Anand International School Bypass, Krishna Niketan Rd., Jakariyapur, Patna Secretary Shree Anand Chandra Foundation Patna, Bihar

(Signature of D.E.O)

जिल्ला शिक्षा पदााः पटना १२ पटना

| | Has the school obtained Recognition Certificate from the State | YES |
|---|--|--|
| -660 | Government from class-1 to 8th? | |
| 11 | Number of Recognition Certificate from class-1 to 8th | PAT/RTE/PVT.SCH/849 |
| | and date of issue: | 04.09.2020 |
| 12 | Is the school affiliated to any other board besides CBSE for | NO |
| | Class-X or XII | |
| NFO | RMATION REGARDING LAND DETAILS AND OWNERSH | P |
| 13 | Is the school situated on a single contiguous plot of land | YES |
| | bounded on all sides by a Pucca Boundary Wall? | |
| 14 | Are both the School and the Play Ground situated in a single | YES |
| | compound bounded by a single continuous Boundary Wall on | |
| 112 | all sides? | |
| 15 | Total area (in square meters) in respect of 12 and 13 above on | 4640 Sq.mt. |
| 15 | which the school is situated: | |
| 16 | The land is in the possession of the | Registered Lease Deed |
| 10 | school/Trust/Society/Company legally by way of: | |
| 17 | Name of the Owner/Lessee of the land in respect of point-15 | ANAND INTERNATIONAL |
| 17 | above: | SCHOOL |
| 18 | In case the land is in the possession of the society/school by | 01.06.2009 to 31.05.2044 |
| 10 | way of lease as per State Government norms, the period of the | (35 years) |
| | lease: | (33 years) |
| 19 | Is any public road, canal or thorough fare, HT line etc. passing | NO |
| 17 | through the land in respect of point-14 above? | The State of the S |
| | | |
| | | |
| INFO | RMATION REGARDING ESSENTIAL SAFETY REQUIREM | ENTS |
| INFO 20 | RMATION REGARDING ESSENTIAL SAFETY REQUIREM | IENTS YES |
| | RMATION REGARDING ESSENTIAL SAFETY REQUIREM Has the school been inspected by the Government engineer and | |
| | RMATION REGARDING ESSENTIAL SAFETY REQUIREM | |
| | RMATION REGARDING ESSENTIAL SAFETY REQUIREM Has the school been inspected by the Government engineer and the school building been found structurally safe for running a | |
| 20 | RMATION REGARDING ESSENTIAL SAFETY REQUIREM Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? | YES |
| 20 20(a) | RMATION REGARDING ESSENTIAL SAFETY REQUIREM Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If yes the date of last inspection: Has the school been inspected by the officer of Government | YES 1731 dt-29.09.2022 |
| 20 20(a) | Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If yes the date of last inspection: Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for | YES 1731 dt-29.09.2022 |
| 20(a) 21 | RMATION REGARDING ESSENTIAL SAFETY REQUIREM Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If yes the date of last inspection: Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? | YES 1731 dt-29.09.2022 |
| 20(a) 21 21(a) | RMATION REGARDING ESSENTIAL SAFETY REQUIREM Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If yes the date of last inspection: Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? If yes the date of last inspection: | YES 1731 dt-29.09.2022 YES |
| 20(a) 21 | Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If yes the date of last inspection: Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? If yes the date of last inspection: Has the school compound been checked by the public health | YES 1731 dt-29.09.2022 YES 57/2022 dt-03.02.2022 |
| 20(a) 21 21(a) | RMATION REGARDING ESSENTIAL SAFETY REQUIREM Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If yes the date of last inspection: Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? If yes the date of last inspection: Has the school compound been checked by the public health department and the health and sanitary conditions been found to | YES 1731 dt-29.09.2022 YES 57/2022 dt-03.02.2022 |
| 20(a) 21 21(a) 22 | Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If yes the date of last inspection: Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? If yes the date of last inspection: Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking? | YES 1731 dt-29.09.2022 YES 57/2022 dt-03.02.2022 |
| 20(a) 21 21(a) 22 | RMATION REGARDING ESSENTIAL SAFETY REQUIREM Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If yes the date of last inspection: Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? If yes the date of last inspection: Has the school compound been checked by the public health department and the health and sanitary conditions been found to | YES 1731 dt-29.09.2022 YES 57/2022 dt-03.02.2022 YES |
| 20(a) 21 21(a) 22 22(a) | Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If yes the date of last inspection: Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? If yes the date of last inspection: Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking? | YES 1731 dt-29.09.2022 YES 57/2022 dt-03.02.2022 YES |
| 20(a) 21 21(a) 22 22(a) | RMATION REGARDING ESSENTIAL SAFETY REQUIREM Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If yes the date of last inspection: Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? If yes the date of last inspection: Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking? If yes the date of last inspection: | YES 1731 dt-29.09.2022 YES 57/2022 dt-03.02.2022 YES |
| 20(a) 21 21(a) 22 22(a) | Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If yes the date of last inspection: Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? If yes the date of last inspection: Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking? If yes the date of last inspection: RMATION REGARDING THE STAFF Does the school have well defined service rules and conditions | YES 1731 dt-29.09.2022 YES 57/2022 dt-03.02.2022 YES 82 dt-10.03.2021 |
| 20(a) 21 21(a) 22 22(a) | Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If yes the date of last inspection: Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? If yes the date of last inspection: Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking? If yes the date of last inspection: RMATION REGARDING THE STAFF Does the school have well defined service rules and conditions for its employees as per prevalent norms of appropriate | YES 1731 dt-29.09.2022 YES 57/2022 dt-03.02.2022 YES 82 dt-10.03.2021 |
| 20(a) 21 21(a) 22 22(a) INFO 23 | Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If yes the date of last inspection: Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? If yes the date of last inspection: Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking? If yes the date of last inspection: RMATION REGARDING THE STAFF Does the school have well defined service rules and conditions for its employees as per prevalent norms of appropriate Government? | YES 1731 dt-29.09.2022 YES 57/2022 dt-03.02.2022 YES 82 dt-10.03.2021 |
| 20(a) 21 21(a) 22 22(a) | Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If yes the date of last inspection: Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? If yes the date of last inspection: Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking? If yes the date of last inspection: RMATION REGARDING THE STAFF Does the school have well defined service rules and conditions for its employees as per prevalent norms of appropriate Government? Is the school paying salary to the teachers and other employees | YES 1731 dt-29.09.2022 YES 57/2022 dt-03.02.2022 YES 82 dt-10.03.2021 YES |
| 20(a) 21 21(a) 22 22(a) INFO 23 | Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If yes the date of last inspection: Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? If yes the date of last inspection: Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking? If yes the date of last inspection: RMATION REGARDING THE STAFF Does the school have well defined service rules and conditions for its employees as per prevalent norms of appropriate Government? Is the school paying salary to the teachers and other employees as per the norms of the appropriate Government? | YES 1731 dt-29.09.2022 YES 57/2022 dt-03.02.2022 YES 82 dt-10.03.2021 YES YES |
| 20(a) 21 21(a) 22 22(a) INFO 23 | Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If yes the date of last inspection: Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? If yes the date of last inspection: Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking? If yes the date of last inspection: RMATION REGARDING THE STAFF Does the school have well defined service rules and conditions for its employees as per prevalent norms of appropriate Government? Is the school paying salary to the teachers and other employees | YES 1731 dt-29.09.2022 YES 57/2022 dt-03.02.2022 YES 82 dt-10.03.2021 YES |

Biretolva Kumar

(Signature of Principal)
Principal Anand International School Bycass, Krishna Niketan Rd., Jakariyanur, Patna Byrendro kumar

Principal
Anand International School
Bypass, Krishna Niketan Rd., Jakariyapur, Patna

Secretary
Shree Anand Chandra Foundation
Patna, Signature of D.E.O.
Signature of D.E.O.

YES Is the school paying EPF to the teachers and other employees as 26 per the norms of the appropriate Government? Birthdra Rumay Principal Manager Anand International School Anand International School BYBASS, Krishna Niketan Rd., Jakariyapur, Palha Byeass, Krishna Niketan, Jakariyapur, Patna PART-B (This part is to be filled-up by the District Education Officer after verifying all supporting documents and certificates in original and visiting the school) Date of issuance 24.12. LL 10316 File No... This is to certify that the information above, provided by the school has been verified on the basis of all supporting documents & certificates and visiting the school and the information has been found correct. YES Is the school recommended for extension/upgradation of Recommended for affiliation? **Upgradation of Affiliation** (Name and Stamp of Issuing D.E.O.) DISTRICT EDUÇATION OFFICER NAME OF DISTRICT: PATNA
जिल्म जिला पदाधिकारी

Birendra Kumar

Principal
Anand International School
Bypess, Krishna Niketan Rt., Jakariyapur, Patna

Birerdra bungs

(Signature of Principal)
Principal

Anand International School Bypass, Krishna Niketan Rd., Jakariyapur, Patna Secretary

Shree Anand Chandra Foundation
Patna, Bihar

(Signature of D.E.O)

22/12/2022